

SCHEDULE

TERMS AND CONDITIONS

(To accompany consent No. PCB/Bng, R.R.Nagar/ EO/AEO/IND/2015-16/

Date:

A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.

1. The discharge from the premises of the applicant shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act or Rules made there under.
2. The daily quantity of effluent discharge shall not exceed the limits and shall not contain the constituents in excess of the tolerance limits laid down as indicated in the table below. The applicant shall monitor the quality of effluents for the parameters stipulated as per the frequency indicated.

S l . N o	Description of the effluents	Daily quantity of discharge in KL	Tolerance Limits	Frequency of monitoring
1	2	3	4	5
1	Industrial effluents	--	--	Shall be disposed to CETP M/s Pai and Pai Chemicals Pvt Ltd.
2	Domestic effluents	0.24	--	BWSSB Sewer line.

3. The applicant shall comply with the previous Consent Order conditions issued by the Board vide No. PCB/RO-BC-3/2011-12/R-5547, dated 02.03.2012 and maintain the same continuously.
4. The applicant shall discharge the effluents only to the place mentioned in the Consent order.
5. The applicant shall dispose the Trade effluent generated from the process to CETP M/s Pai and Pai Chemicals pvt ltd for treatment and Disposal. In this regard industry shall submit the valid agreement copy made with M/s Pai & Pai chemicals Pvt Ltd.
6. The applicant shall maintain the records at the industry for the quantity of trade effluent generated and dispose to CETP. The industry shall submit Manifest w.r.t quantity of trade effluent handed over to CETP regularly to this office.

SPECIFIC CONDITIONS:

- a) There shall not be any public complaints against the industry either with respect to Water, Air and Noise at any point of time. If so, the consent will be deemed to have been withdrawn without resorting further correspondence from the Board.
- b) This consent is issued only to manufacturing of Nickel plating activity through electrolysis capacity of 50 Kgs/day. If any deviation from the activity the consent will be withdrawn without resorting further notice.


B. DISCHARGE OF EMISSIONS UNDER THE AIR ACT:

1. The discharge of emissions from the premises shall pass through the stack/chimney/outlet mentioned in this consent order where from the Board shall be free to collect the samples at any time in accordance with the Act or Rules made there under.
2. The applicant shall provide control equipments as approved by the Board vide CFO letter No. PCB/RO-BC-3/2011-12/R-5547, dated 02.03.2012. for the control of emissions. The rate of emissions discharged and the tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-I. The applicant shall monitor the emission levels as per the frequency schedule indicated in the **Annexure-I**.

C. GENERAL CONDITIONS APPLICABLE TO ALL ACTIVITIES:

1. The applicant shall provide water meters for every source of water and shall submit the cess returns regularly as required under **Water Cess Act before 5th of every month in the prescribed Form.**
2. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.

For and on behalf of the KSPCB


REGIONAL OFFICER,
RAJARAJESHWARINAGAR

22.6.2015